

Ryzom - Bug # 1465

Status:	Resolved	Priority:	Normal
Author:	sfb	Category:	Build
Created:	05/03/2012	Assignee:	sfb
Updated:	06/14/2012	Due date:	
Subject:	No debugging symbols available in Debug mode.		
Description	When generating builds via CMake in Debug mode on Linux there are no debugging symbols in the bins or libs.		

History

#1 - 05/03/2012 10:54 pm - kerval

I'll check that tomorrow, we have to keep symbols in Release mode in some cases (debian packaging for example) and always in Debug. I suspect I changed default behavior in one of last changes.

#2 - 05/04/2012 12:55 am - sfb

kerval wrote:

I'll check that tomorrow, we have to keep symbols in Release mode in some cases (debian packaging for example) and always in Debug. I suspect I changed default behavior in one of last changes.

You did, in *nel.cmake* you added:

```
IF(WITH_SYMBOLS)
  SET(NL_RELEASE_CFLAGS "${NL_RELEASE_CFLAGS} -g"
ELSE(WITH_SYMBOLS)
...

```

The notable exclusion there is `NL_DEBUG_CFLAGS`. I added it locally and kicked off a clean rebuild but that takes time and I had to go home for the day. I'll take a look later tonight to verify that is all it was.

#3 - 05/04/2012 09:51 am - kerval

Yes, you're right, I forgot to readd `-g` for `NL_DEBUG_CFLAGS` :) Well done !

`WITH_SYMBOLS` is to force symbols even in Release mode, the problem before that when using `/Zi` and `/DEBUG` under Windows is that client had a lot of debug information and was bigger. Now there should be no debug symbols in Release mode be default.

Release -> stripped under all platforms (no symbol)
Debug -> not stripped under all platforms (all symbols)

`-DWITH_SYMBOLS=ON` -> all symbols under all platforms and configurations

#4 - 06/14/2012 03:12 pm - sfb

- *Status changed from New to Resolved*
- *% Done changed from 0 to 100*

Applied in changeset commit:0db09330db75.